

REFLEX TEST LIST - ST JOSEPH HOSPITAL LABORATORY

ORDERED TEST	CONDITION	REFLEX TEST PERFORMED and BILLED	
Blood Bank			
ABO,RH,Antibody Screen (86900,86901,86850)	Antibody positive	Antibody identification. CPT codes vary depending on additional required testing	
	No previous type history	ABRC (confirmatory type, no additional charge)	
Direct Antiglobulin test (DAT) 86880	Polyspecific DAT positive	IgG DAT (86880)	
CBEV (cord blood eval)	Baby is Rh pos	FMHS (fetal maternal hemorrhage screen)	
FMHS (85461)	Positive	Kleihauer Betke (85460)	
Serology			
RPR Screen (86592)	Reactive	Confirmation at NH State Laboratory	
ANA Screen (86038)	Positive	ANA Confirmation to Mayo (86039)	
Lyme Disease Antibody (86618)	Equivocal, Borderline, or Positive	Western Blot Confirmation to Mayo (86617 x2)	
Hematology			
Urinalysis (81003)	Appearance	Add Microscopic (81001)	
	Nitrites		Positive
	Leuk. Est		Positive
	Blood		Present
	Total Protein -		Present
(Urine) Culture if Necessary	Nitrites	Positive	Add Urine Culture (87086)
	Leuk. Est.	> 25	
	Bact	≥ 1+	
	WBC	>10	
CBC/Diff (85025)	Instrument flag ¹	Manual WBC Diff (no additional charge)	
Chemistry			
Hepatitis B Core, Total 86704	Reactive	Hepatitis B Core IgM (86705)	
HIV Ag/Ab 87389	Reactive	HIV 1/2 Ab Differentiation test	
Hepatitis B Surface Antigen	Positive	Confirmation sent to Mayo	
Calculated LDL Chol	Triglycerides > 400	Direct LDL Chol (83721)	
Lactate w/ Reflex 83605	Lactate > 2.0	Lactate repeat 3 hrs after initial test. (83605). If LAC2 is >2.0, a third Lactate (LAC3) will be ordered 3 hrs after LAC2.	
TSH Cascade	TSH is abnormal	Free T4 (84439) Reflex testing will occur for all abnormal values regardless of age.	
Microbiology			
Culture, Aerobic and/or Anaerobic	Pathogen isolated	Identification. CPT codes vary depending on additional required testing & sensitivity	
Culture, Fungal	Positive	Sent to Mayo Medical Laboratory (if not a toenail and/or not a Candida sp.) (87106)	
Rapid Strep A	Negative, patient <18 yrs. old	Throat Culture (87070)	
C. Diff PCR	Positive	C. Diff toxin (87324)	

¹ Refers to a failure of instrument to compute an electronic differential count. Reflex test proceeds to manual differential count. Reflex testing may incur additional charges based on the CPT code listed.